



Product features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- ToLEDo Retro T25 lamp is the ideal replacement for incandescent cooker hood lamps
- Same look, size and functionality as incandescent lamps
- Omni-directional light distribution
- Gives same sparkling light effect as incandescent lamp
- Dimensionally identical to incandescent lamps fits all fixtures
- Environment friendly no mercury and lower CO2 emissions



PRODUCT OVERVIEW

Product name	ToLEDo RT T25 V5 CL 250LM 827 E14 SL
Technology	LED
Watt (Rated) (W)	2.5
Туре	LED exchangeable
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Residential & Consumer
E-number FI	4740958
Warranty	3 years
Luminous flux (Im)	250
Colour temperature (K)	2700
Light colour	Homelight
Colour Variation Initial (SDCM)	SDCM6
Photobiological Risk Group	RG1



 Product Voltage (V)
 230

 Dimmable
 No

 Average life (Nominal) (h)
 15000

 Product EAN number
 5410288295411


DATA TABLE

General data	
Product name	ToLEDo RT T25 V5 CL 250LM 827 E14 SL
Technology	LED
Watt (Rated) (W)	2.5
Туре	LED exchangeable
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Operating temperature range (°C)	-20°C+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4740958
Warranty	3 years
Optical data	
Luminous flux (Im)	250
Luminous flux (Rated) (Im)	250
Colour temperature (K)	2700
Light colour	Homelight
Colour Variation Initial (SDCM)	SDCM6
Photobiological Risk Group	RG1
Lumen maintenance at end of nominal life (%)	70
Electrical data	
Equivalent watt (W)	25
Product Voltage (V)	230
Control gear required	No
Transformer required	No
Dimmable	No
Inrush Current (A)	5.9
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 16A B Breaker	14
Lifetime data	
Lifespan L70 B50	15000
Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000
Physical data	
Nominal Product Length (mm)	90
0 ()	



Nominal Product Diameter (mm)	25
Weight (kg)	0.021
Packaging	
Single packaging type	Carton
Product EAN number	5410288295411
Packaging single length / height (cm)	11.0
Packaging single width (cm)	4.5
Packaging single depth (cm)	4.5
Units per outer package	6
Packaging outer width (cm)	9.7
Packaging outer depth (cm)	12.0
Safety data	
Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Safety message	Not Suitable for totally enclosed fixtures

PHOTOMETRY



TECHNICAL DRAWINGS

