

Profile Shallow Wide Surface 30 CDE-9/T 3m anodised
0022609



Features


- A shallow wide 1000mm length anodised aluminium lighting profile that can be combined with multiple click diffusers (flat opal - 0022624, round frosted - 0022625, square opal - 0022633) with a maximum LED strip width of 20mm. Can be mounted with 'Profile HO surface 16 raw alu.' or dedicated plates. Additional accessories like end caps, profile holders or mounting brackets need to be ordered separately.

Product Overview

Product name	Profile Shallow Wide Surface 30 CDE-9/T 3m anodised
Technology	Accessory
Housing	Aluminium
General application	Retail
ETIM Class	EC002557
E-number FI	4278031
Housing colour	Silver
Product EAN number	5410288226095
Warranty	3 years

Profile Shallow Wide Surface 30 CDE-9/T 3m anodised
0022609

Technical drawings



Data table

GENERAL DATA

Product name	Profile Shallow Wide Surface 30 CDE-9/T 3m anodised
Technology	Accessory
Housing	Aluminium
General application	Retail
ETIM Class	EC002557
E-number FI	4278031
Warranty	3 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	Silver
Nominal Product Length (mm)	3000

Profile Shallow Wide Surface 30 CDE-9/T 3m anodised 0022609

Nominal Product Width (mm)	33.4
Nominal Product Height (mm)	12.8
Weight (kg)	1.1

PACKAGING

Single packaging type	Carton
Product EAN number	5410288226095
Packaging single length / height (cm)	300.0
Packaging single width (cm)	3.0
Packaging single depth (cm)	2.0
DUN14 (outer)	05410288226095
Units per outer package	50
Packaging outer length / height (cm)	305.0
Packaging outer width (cm)	16.0
Packaging outer depth (cm)	16.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No