

















• These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency100% improvement in effectiveness (at 368nm)Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)




Product Overview

Product name	Lynx-L 18W BL368
Technology	Special applications
Туре	Compact
Cap/Base	2G11
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940702
Light colour	BL368 Blacklight
Wattage (W)	18
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288252681
Dimming method	N/A



Technical drawings



Data table

35

GENERAL DATA

35

Product name	Lynx-L 18W BL368
Technology	Special applications
Туре	Compact
Cap/Base	2G11
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-15°C+50°C
ETIM Class	EC002962



0025268

E-number FI	4940702
-------------	---------

OPTICAL DATA

Light colour	BL368 Blacklight
Adjustable chromaticity	N

ELECTRICAL DATA

Wattage (W)	18
Mains voltage (V)	230-240V
Control gear required	Yes
Transformer required	No
Dimmable	No
Dimming method	N/A

LIFETIME DATA

Average life (Nominal) (h)	15000	
----------------------------	-------	--

PHYSICAL DATA

Nominal Product Height (mm)	215
Nominal Product Diameter (mm)	44
Weight (kg)	0.058

PACKAGING

Single packaging type	Carton
Product EAN number	5410288252681
Packaging single length / height (cm)	24.53
Packaging single width (cm)	4.63
Packaging single depth (cm)	2.77
DUN14 (outer)	15410288252688
Units per outer package	10
Packaging outer length / height (cm)	26.2
Packaging outer width (cm)	14.0
Packaging outer depth (cm)	9.8



SAFETY DATA

Optimal operating condition (°C)	-15-50
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of	Applicable
life	
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not suitable for household