

ToLEDo Superia T5 ECG

ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840 0029267

Product features

- 50,000 hours average rated lifetime
- Last 2.5 times longer than 35W 1449mm fluorescent tri-phosphor T5 lamp
- High switching cycles 200,000X
- High lumen efficacy
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 50°C
- Glass construction and polycarbonate end-caps
- Not suitable for direct mains (AC 220-240V) or magnetic/ CCG ballast
- Works only with compatible electronic ballasts
- Ideal for factories, parking lots, supermarkets, department stores, schools and offices
















PRODUCT OVERVIEW

roduct name	ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840
echnology	LED
Vatt (Rated) (W)	18
amp shape	Tube, double-ended
уре	LED exchangeable
ap/Base	G5
amp finish	Opal
ixture rating	Open
eneral application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Residential & Consumer, Retail
TIM Class	EC001959
Varranty	5 years
uminous flux (lm)	2800
colour temperature (K)	4000
ight colour	Cool White
RI (Ra)	80
colour Variation Initial (SDCM)	SDCM6
eam Angle (°)	150
hotobiological Risk Group	RG0
Vattage (W)	18
roduct Voltage (V)	150
immable	No
verage life (Nominal) (h)	50000
lousing colour	White
P rating	IP20
roduct EAN number	5410288292670

PHOTOMETRY



ToLEDo Superia T5 ECG ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840 0029267



TECHNICAL DRAWINGS

