

### OptiClip Accessories OPTICLIP LIGHT E 940 1DC WH 0044043

#### **Product features**



OPTICLIP LIGHT E 940 1DC WH LED light module with reflector, assembled with 1DC connector, 200-450mA drive current, up to 1850lm flux @450mA drive current, CRI90, 4000K, SDCM 3






















### PRODUCT OVERVIEW

| Decident conse                  | OPTIOLIP LIQUIT F 040 4DO MILL |
|---------------------------------|--------------------------------|
| Product name                    | OPTICLIP LIGHT E 940 1DC WH    |
| Technology                      | LED                            |
| Cap/Base                        | N/A                            |
| Mount                           | Ceiling recessed mounting      |
| General application             | Education, Office              |
| ETIM Class                      | EC000996                       |
| Warranty                        | 5 years                        |
| Fixture luminous flux (Im)      | 1850                           |
| Colour temperature (K)          | 4000                           |
| Light colour                    | Neutral White                  |
| CRI (Ra)                        | 90                             |
| Colour Variation Initial (SDCM) | SDCM5                          |
| Beam Angle (°)                  | 80                             |
| Photobiological Risk Group      | RG1                            |
| Total power consumption (W)     | 15                             |
| Electrical protection           | Class III                      |
| Control gear type               | LED driver constant current    |
| Dimmable                        | No                             |
| Dimming method                  | N/A                            |
| IP rating                       | IP20                           |
| IK rating                       | IK07                           |
| Product EAN number              | 5410288440439                  |

### **PHOTOMETRY**



## OptiClip Accessories OPTICLIP LIGHT E 940 1DC WH 0044043





# OptiClip Accessories OPTICLIP LIGHT E 940 1DC WH 0044043

| 0.5 | 0.98<br>0.95 | E(0") 3334<br>E(C90) 44.5" 552<br>E(C0) 43.5" 580  |
|-----|--------------|--|
| 1.0 | 1.97<br>1.90 | E(0°) 759<br>E(0°90) 44.5° 136<br>E(0°0) 43.5° 145 |
| 1.5 | 2.95<br>2.85 | E(0°) 44.5° 61<br>E(090) 44.5° 64                  |
| 2.0 | 3.93<br>3.80 | E(0°) 190<br>E(C90) 44.5° 30<br>E(C0) 43.5° 36     |
| 2.5 | 4.91<br>4.74 | E(0°) 121<br>E(C90) 44.5° 22<br>E(C0) 43.5° 23     |
| 3.0 | 5.90<br>5.69 | E(0") 84<br>E(C90) 44.5" 15<br>E(C0) 43.5" 16      |

| 0.5 | 0.98<br>0.95 | E(0°) 3333<br>E(090) 44.5° 601<br>E(00) 43.5° 638 |
|-----|--------------|---|
| 1.0 | 1.97<br>1.90 | E(0°) 44.5° 55;<br>E(0°) 43.5° 160                |
| 1.5 | 2.96<br>2.85 | E(0°) 44.5° 5<br>E(0°) 45.5° 7                    |
| 2.0 | 3.93<br>3.80 | E(0") 200<br>E(090) 44.5" 30<br>E(00) 43.5" 40    |
| 2.5 | 4.91<br>4.74 | E(0") 134<br>E(090) 44.5" 2<br>E(00) 43.5" 2      |
| 3.0 | 5.90<br>5.69 | E(0") 94.5" 11<br>E(C0) 43.5" 11                  |

