

LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
0005307



Features


- Recessed housing to use only with Ludospot Integrated LED module 50mm - LED module not included. Die-cast aluminium body, round bezel ring with white reflector, fixed, IP44 degree of protection (front), white color RAL9016, outer dimensions: Ø90x27mm, cut-out Ø70mm. Suitable for internal environment only.

Product Overview


Product name	LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
Technology	Accessory
Housing	Aluminium
Environment	Indoor
General application	Retail
ETIM Class	EC002557
Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP44/20
IK rating	IK03
Product EAN number	5410288053073
Warranty	5 years

LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
0005307


Photometry

Distance [m]
Cone diameter [m]
Illuminance [lx]
C0 - C180 (Half beam angle: 25.2°)

LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
0005307



Technical drawings



Data table

GENERAL DATA

Product name	LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
Technology	Accessory

LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT 0005307

Housing	Aluminium
Environment	Indoor
General application	Retail
ETIM Class	EC002557
Warranty	5 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP44/20
IK rating	IK03
Nominal Product Length (mm)	90
Nominal Product Width (mm)	90
Cutout Dimensions (W x L in mm or Diameter in mm)	70
Weight (kg)	0.12

PACKAGING

Single packaging type	Carton
Product EAN number	5410288053073
Packaging single length / height (cm)	9.5
Packaging single width (cm)	9.5
Packaging single depth (cm)	4.5
DUN14 (outer)	15410288053070
Units per outer package	50
Packaging outer length / height (cm)	50.0
Packaging outer width (cm)	20.5
Packaging outer depth (cm)	25.0

SAFETY DATA

Special purpose lamp	No
----------------------	----



LUDOSPOT 50 HOUSING ROUND 90MM FIXED IP44 WHT
0005307

Dry applications use only	No
Suitable for household illumination	No