


LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT
0005338



Features


- Recessed housing to use with Ludospot Integrated LED module 111mm - LED module not included. Die-cast aluminium body, square bezel with white reflector, horizontally adjustable 114° with cardanic system, vertical tilt 18°, IP20 degree of protection, white color RAL9016, outer dimensions without LED module: 180x180x38mm, cut-out Ø165mm. Suitable for internal environment only.

Product Overview


Product name	LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT
Technology	Accessory
Housing	Aluminium
Environment	Indoor
General application	Retail
ETIM Class	EC002557
Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP20
IK rating	IK03
Product EAN number	5410288053387
Warranty	5 years

LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT
0005338


Photometry



LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT
0005338



Technical drawings



Data table

GENERAL DATA

Product name	LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT
Technology	Accessory
Housing	Aluminium

LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT 0005338

Environment	Indoor
General application	Retail
ETIM Class	EC002557
Warranty	5 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP20
IK rating	IK03
Nominal Product Length (mm)	180
Nominal Product Width (mm)	180
Cutout Dimensions (W x L in mm or Diameter in mm)	165
Weight (kg)	0.8

PACKAGING

Single packaging type	Carton
Product EAN number	5410288053387
Packaging single length / height (cm)	20.5
Packaging single width (cm)	18.5
Packaging single depth (cm)	4.5
DUN14 (outer)	15410288053384
Units per outer package	20
Packaging outer length / height (cm)	43.0
Packaging outer width (cm)	39.0
Packaging outer depth (cm)	25.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No



LUDOSPOT 111 HOUSING SQUARE 180MM CARDAN WHT 0005338

Suitable for household illumination

No