



Features

• • Energy efficient LED alternative for traditional incandescent and halogen blown reflector lamp• Modern construction and attractive design• Mercury free solution• Long average rated lifetime: 15,000 hours• Lower maintenance cost compared to traditional lamps• Non-dimmable• 3 years warranty• Perfect for general lighting applications: residential lighting, down lights, hotels, hotels, restaurants, bars, lobbies, corridors, halls, etc

Product Overview

Product name	REFLED R80 V3 806LM 830 E27 SL
Technology	LED
Watt (Rated) (W)	9
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740803
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Beam Angle (°)	120
Wattage (W)	9
Product Voltage (V)	230
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288284132
Warranty	3 years

Data table

GENERAL DATA

Product name	REFLED R80 V3 806LM 830 E27 SL
Technology	LED
Watt (Rated) (W)	9
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740803
Warranty	3 years

OPTICAL DATA

Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Luminous Intensity (cd)	198
Beam Angle (°)	120

ELECTRICAL DATA

Wattage (W)	9
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	2
Product Voltage (V)	230
Lamp power factor	0.5
Control gear required	No

REFLED R80 V3 806LM 830 E27 SL 0028413

No. Of switching cycles before premature failures	>50000
---	--------

Dimmable	No
----------	----

Nominal Frequency (Hz)	50/60Hz
------------------------	---------

LIFETIME DATA

Average life (Nominal) (h)	15000
----------------------------	-------

Average life (Rated) (h)	15000
--------------------------	-------

PHYSICAL DATA

Nominal Product Length (mm)	114
-----------------------------	-----

Nominal Product Diameter (mm)	81
-------------------------------	----

Weight (kg)	0.15
-------------	------

PACKAGING

Single packaging type	Carton
-----------------------	--------

Product EAN number	5410288284132
--------------------	---------------

Packaging single length / height (cm)	4.5
---------------------------------------	-----

Packaging single width (cm)	4.5
-----------------------------	-----

Packaging single depth (cm)	7.8
-----------------------------	-----

DUN14 (outer)	15410288284139
---------------	----------------

Units per outer package	6
-------------------------	---

Packaging outer length / height (cm)	25.0
--------------------------------------	------

Packaging outer width (cm)	17.0
----------------------------	------

Packaging outer depth (cm)	12.5
----------------------------	------

SAFETY DATA

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

Special purpose lamp	No
----------------------	----

Dry applications use only	Yes
---------------------------	-----

Suitable for household illumination	Yes
-------------------------------------	-----

Safety message	Not Suitable for totally enclosed fixtures
----------------	--