

START ECO FLEX IP20 RGBW
0068122



Features

- 5 metre IP20 LED reel with pre-attached 3M adhesive type; 24V; RGBW; White colour 2700K

Product Overview

Product name	START ECO FLEX IP20 RGBW
Technology	LED
Mount	Other
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276989
Fixture luminous flux (lm)	4000
Luminaire efficacy (lm/W)	56
Colour temperature (K)	2700
CRI (Ra)	50
Colour Variation Initial (SDCM)	3
Beam Angle (°)	120
Beam Angle (°)	N/A
Photobiological Risk Group	RG1
Total power consumption (W)	72
Electrical protection	Class III
Dimmable	Yes
IP rating	IP20
IK rating	IK00
Product EAN number	5410288681221
Warranty	3 years
Dimming method	Other

START ECO FLEX IP20 RGBW 0068122

Data table

GENERAL DATA

Product name	START ECO FLEX IP20 RGBW
Technology	LED
Mount	Other
General application	Hospitality, Retail
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
ETIM Class	EC002706
E-number FI	4276989
Warranty	3 years

OPTICAL DATA

Fixture luminous flux (lm)	4000
Luminaire efficacy (lm/W)	56
Colour temperature (K)	2700
CRI (Ra)	50
Colour Variation Initial (SDCM)	3
Beam Angle (°)	120
Beam Angle (°)	N/A
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	72
Mains voltage (V)	24V
Electrical protection	Class III
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Dimming method	Other
Drive current (mA)	3000

START ECO FLEX IP20 RGBW 0068122

Glow Wire Test (°C)	650
---------------------	-----

Lamp Energy Label (class)	G
---------------------------	---

LIFETIME DATA

Lifespan L70 B50	30000
------------------	-------

Lifespan L70 B10	30000
------------------	-------

Lifespan L80 B10	30000
------------------	-------

Lifespan L90 B10	30000
------------------	-------

PHYSICAL DATA

IP rating	IP20
-----------	------

IK rating	IK00
-----------	------

Nominal Product Length (mm)	5000
-----------------------------	------

Nominal Product Width (mm)	12
----------------------------	----

Nominal Product Height (mm)	2
-----------------------------	---

Weight (kg)	0.1
-------------	-----

PACKAGING

Single packaging type	Mix(80% carton, 20% plastic)
-----------------------	------------------------------

Product EAN number	5410288681221
--------------------	---------------

Packaging single length / height (cm)	23.5
---------------------------------------	------

Packaging single width (cm)	22.5
-----------------------------	------

Packaging single depth (cm)	3.0
-----------------------------	-----

DUN14 (outer)	15410288681228
---------------	----------------

Units per outer package	40
-------------------------	----

Packaging outer length / height (cm)	56.5
--------------------------------------	------

Packaging outer width (cm)	32.0
----------------------------	------

Packaging outer depth (cm)	61.0
----------------------------	------

SAFETY DATA

Optimal operating condition (°C)	-20-40
----------------------------------	--------

Special purpose lamp	No
----------------------	----


Dry applications use only	No
---------------------------	----

START ECO FLEX IP20 RGBW
0068122

Suitable for household illumination	No
-------------------------------------	----

Energy label

 **ENERG** 
SYLVANIA
0068122




72
kWh/1000h



2019/2015

 **ENERG** 
SYLVANIA
0068122



72
kWh/1000h



2019/2015