


MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ 2056408



Features

- MYRIAD SQUARE IP65 FLOOD 3000K DALI BLACK REFLECTOR WHITE BEZEL

Product Overview

Product name	MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
ETIM Class	EC001744
Fixture luminous flux (lm)	1165
Luminaire efficacy (lm/W)	117
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Beam Angle (°)	48
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Housing colour	Aluminium
IP rating	IP65/20
IK rating	IK02
Product EAN number	5025768564088

MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ 2056408

Warranty	5 years
Dimming method	DALI

Data table

GENERAL DATA

Product name	MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	1165
Luminaire efficacy (lm/W)	117
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	48
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Mains voltage (V)	230-240V
Electrical protection	Class II

MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ 2056408

Control gear required	No
Transformer required	Yes
Dimming method	DALI
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

PHYSICAL DATA

Housing colour	Aluminium
IP rating	IP65/20
IK rating	IK02
Reflector finish	Black
Nominal Product Width (mm)	72
Nominal Product Height (mm)	64
Cutout Dimensions (W x L in mm or Diameter in mm)	72
Weight (kg)	0.39
Recessed Depth (mm)	64

PACKAGING

Single packaging type	Carton
Product EAN number	5025768564088
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768564088
Units per outer package	1
Packaging outer length / height (cm)	17.5

Concord

MYRIAD SQUARE IP65 FLOOD 3K DALI BLKREF WBEZ 2056408

Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No