


INSET TREND 75 SW BLK EX-LMP
3084101



Features

- 75mm cut out. 2 x 30° Tilt. Round bezel.

Product Overview

Product name	INSET TREND 75 SW BLK EX-LMP
Technology	LED/Halogen
Housing	Aluminium
Mount	Ceiling recessed mounting
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	N/A
E-number FI	4225700
LOR (%)	Dependent on lamp
Colour Variation Initial (SDCM)	N/A
Photobiological Risk Group	Not applicable
Electrical protection	Class II
Control gear type	Other
Housing colour	RAL 9004 - Signal black
IP rating	IP23/20
IK rating	IK02
Product EAN number	8711971841012
Warranty	3 years

Data table

GENERAL DATA

Product name	INSET TREND 75 SW BLK EX-LMP
Technology	LED/Halogen

INSET TREND 75 SW BLK EX-LMP 3084101

Housing	Aluminium
Mount	Ceiling recessed mounting
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	N/A
E-number FI	4225700
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Colour Variation Initial (SDCM)	N/A
Adjustable chromaticity	N
Photobiological Risk Group	Not applicable

ELECTRICAL DATA

Mains voltage (V)	220-240V
Electrical protection	Class II
Control gear required	No
Control gear type	Other
Transformer required	No
Glow Wire Test (°C)	650

PHYSICAL DATA

Housing colour	RAL 9004 - Signal black
IP rating	IP23/20
IK rating	IK02
Diffuser finish	Other
Nominal Product Height (mm)	85
Nominal Product Diameter (mm)	82
Cutout Dimensions (W x L in mm or Diameter in mm)	75
Weight (kg)	0.25
Recessed Depth (mm)	100

PACKAGING

INSET TREND 75 SW BLK EX-LMP 3084101

Single packaging type	Carton
Product EAN number	8711971841012
Packaging single length / height (cm)	13.3
Packaging single width (cm)	10.1
Packaging single depth (cm)	7.0
DUN14 (outer)	08711971841012
Units per outer package	30
Packaging outer length / height (cm)	53.0
Packaging outer width (cm)	28.0
Packaging outer depth (cm)	23.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No