


INSET TR SW IP44 INDOOR BLK EX-LMP
3084102



Features

- 75mm cut out. 2 x 25° Tilt. Round bezel.

Product Overview

Product name	INSET TR SW IP44 INDOOR BLK EX-LMP
Technology	LED/Halogen
Housing	Aluminium
Mount	Ceiling recessed mounting
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	N/A
E-number FI	4225701
LOR (%)	Dependent on lamp
Photobiological Risk Group	Not applicable
Electrical protection	Class II
Housing colour	RAL 9004 - Signal black
IP rating	IP44/20
IK rating	IK02
Product EAN number	8711971841029
Warranty	3 years

Data table

GENERAL DATA	
Product name	INSET TR SW IP44 INDOOR BLK EX-LMP
Technology	LED/Halogen
Housing	Aluminium
Mount	Ceiling recessed mounting

INSET TR SW IP44 INDOOR BLK EX-LMP 3084102

General application	Hospitality, Museums & Galleries, Retail
ETIM Class	N/A
E-number FI	4225701
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Adjustable chromaticity	N
Photobiological Risk Group	Not applicable

ELECTRICAL DATA

Mains voltage (V)	220-240V
Electrical protection	Class II
Control gear required	No
Transformer required	No
Glow Wire Test (°C)	650

PHYSICAL DATA

Housing colour	RAL 9004 - Signal black
IP rating	IP44/20
IK rating	IK02
Nominal Product Height (mm)	100
Nominal Product Diameter (mm)	95
Cutout Dimensions (W x L in mm or Diameter in mm)	75
Weight (kg)	0.18
Recessed Depth (mm)	115

PACKAGING

Single packaging type	Carton
Product EAN number	8711971841029
Packaging single length / height (cm)	13.0
Packaging single width (cm)	10.0

INSET TR SW IP44 INDOOR BLK EX-LMP 3084102

Packaging single depth (cm)	8.5
DUN14 (outer)	18711971841026
Units per outer package	30
Packaging outer length / height (cm)	53.0
Packaging outer width (cm)	49.0
Packaging outer depth (cm)	22.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No