Lumiance

INSET TREND 75 SW ES50 BN EX-LMP **3083510**



Features

• 75mm cut out. 2 x 30° Tilt. Round bezel.

Product Overview

Product name	INSET TREND 75 SW ES50 BN EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Light source included	Fixture without Lightsource
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number SE	7464290
LOR (%)	Dependent on lamp
Light colour	N/A
Electrical protection	Class II
Housing colour	Aluminium
IP rating	IP23/20
IK rating	IK02
Product EAN number	8711971835103
Warranty	3 years

Lumiance

INSET TREND 75 SW ES50 BN EX-LMP **3083510**

Data table

GENERAL DATA

Product name	INSET TREND 75 SW ES50 BN EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number SE	7464290
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Light colour	N/A
Adjustable chromaticity	N

ELECTRICAL DATA

Light source included	Fixture without Lightsource
Mains voltage (V)	220-240V
Electrical protection	Class II
Control gear required	No
Transformer required	No
Nominal Frequency (Hz)	50/60Hz

PHYSICAL DATA

Housing colour	Aluminium
IP rating	IP23/20
IK rating	IK02
Nominal Product Length (mm)	83

Lumiance

INSET TREND 75 SW ES50 BN EX-LMP **3083510**

Nominal Product Width (mm)	83
Nominal Product Height (mm)	85
Cutout Dimensions (W x L in mm or	75
Diameter in mm)	
Weight (kg)	0.135
Recessed Depth (mm)	100

PACKAGING

Single packaging type	Carton
Product EAN number	8711971835103
Packaging single length / height (cm)	13.4
Packaging single width (cm)	10.1
Packaging single depth (cm)	7.0
DUN14 (outer)	18711971835100
Units per outer package	30
Packaging outer length / height (cm)	23.9
Packaging outer width (cm)	28.9
Packaging outer depth (cm)	53.1

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No