

INSET TREND SW IP44 OUTD AN EX LMP 3099390



Features

- 75mm cut out. 2 x 25° Tilt. Round bezel.

Product Overview

Product name	INSET TREND SW IP44 OUTD AN EX LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Light source included	Fixture without Lightsource
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271331
E-number SE	7463930
LOR (%)	Dependent on lamp
Electrical protection	Class II
Housing colour	Anthracite
IP rating	IP44/20
IK rating	IK02
Product EAN number	8711971993902
Warranty	3 years

Data table

GENERAL DATA

Product name	INSET TREND SW IP44 OUTD AN EX LMP
--------------	------------------------------------

INSET TREND SW IP44 OUTD AN EX LMP 3099390

Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271331
E-number SE	7463930
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Adjustable chromaticity	N

ELECTRICAL DATA

Light source included	Fixture without Lightsource
Mains voltage (V)	220-240V
Electrical protection	Class II
Control gear required	No
Transformer required	No
Nominal Frequency (Hz)	50/60Hz

PHYSICAL DATA

Housing colour	Anthracite
IP rating	IP44/20
IK rating	IK02
Nominal Product Length (mm)	95
Nominal Product Width (mm)	95
Nominal Product Height (mm)	100
Cutout Dimensions (W x L in mm or Diameter in mm)	75
Weight (kg)	0.177
Recessed Depth (mm)	100

INSET TREND SW IP44 OUTD AN EX LMP 3099390

PACKAGING

Single packaging type	Carton
Product EAN number	8711971993902
Packaging single length / height (cm)	13.11
Packaging single width (cm)	10.09
Packaging single depth (cm)	8.48
DUN14 (outer)	18711971993909
Units per outer package	30
Packaging outer length / height (cm)	28.8
Packaging outer width (cm)	28.7
Packaging outer depth (cm)	53.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No