

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

PRODUKTDATENBLATT ST 111 LONGLIFE

Starters for single operation at 230 V AC (ST 111, ST 171, ST 173) | Starter für Einzelschaltung an 230 V AC



Produkteigenschaften

- Temperaturbereich für sichere Abschaltung: -20...+80 °C

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

TECHNISCHE DATEN

Elektrische Daten

Nennleistung	65,00 W
Nennspannung	220...240 V
Netzfrequenz	50/60 Hz

Maße & Gewicht

Durchmesser	21,5 mm
Produktgewicht	6,58 g

Lebensdauer

Nennlebensdauer	0 relevant
-----------------	------------

Zusätzliche Produktdaten

Quecksilbergehalt der Lampe	0.0 mg
Anmerkung zum Produkt	Nicht geeignet für L 70 W / Starter sind in zwei verschiedenen Designs mit identischen technischen Eigenschaften erhältlich

Einsatzmöglichkeiten

Dimmbar	Nein
---------	------

Länderspezifische Informationen

Bestellnummer	ST 111
---------------	--------

Daten gemäß der Verordnung zur Energieverbrauchskennzeichnung EU 2019/2015

Länge	40.30 mm
Höhe	21,5 mm
Breite	21.50 mm

VERPACKUNGSGEOMETRIE

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4050300064000	Blister 2	140 mm x 24 mm x 105 mm	34.09 g	0.35 dm³
4050300119588	Versandschachtel 20	165 mm x 154 mm x 150 mm	321.27 g	3.81 dm³

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.