

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

PRODUKTDATENBLATT DR AY ZB+DALI CLAMP

LED DRIVER DALI Cable Clamp | Treiberzubehör für LED DRIVER DALI



Anwendungsgebiete

- Downlights, Panels, lineare Leuchten
- Geeignet für unterschiedliche Kabeltypen
- Geeignet für Anwendungen im Innenbereich

Produktvorteile

- Einfache und schnelle Befestigung der Kabel
- Ausreichend Platz zur Kabelverbindung

Produkteigenschaften

- Optionale Kabelklemme für LEDVANCE Dali CC Treiber
- Leicht zu installieren
- Werkzeuglose Montage

Oops! An Error Occurred


The server returned a "500 Internal Server Error".

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

TECHNISCHE DATEN

Maße & Gewicht



Länge	50,0 mm
Breite	44 mm
Höhe	32.0 mm
Produktgewicht	39,7 g

Farben & Materialien

Produktfarbe	Orange/Weiß
Gehäusematerial	Kunststoff

Zusätzliche Produktdaten

Gekapselt	Nein
-----------	------

Zertifikate & Standards

Normen	Gemäß EN 61347-1 / Gemäß EN 61347-2-13 / Gemäß EN 55015 / Gemäß EN 61547 / Gemäß EN 61000-3-2 / Gemäß EN 62384
--------	--

TECHNISCHE AUSSTATTUNG

- DR AY ZB+DALI CLAMP DUO geeignet für DR DALI-26 PFM, DR DALI-44 PFM
- DR AY ZB+DALI CLAMP geeignet für DR DALI-60 PFM

DOWNLOADS

Dokumente und Zertifikate	
	Declarations Of Conformity CE

VERPACKUNGSMATERIALIEN

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4058075483149	BAG 1			
4058075483156	Versandschachtel 10	168 mm x 128 mm x 95 mm	385.00 g	2.04 dm ³

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".