


The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

PRODUCT DATASHEET

TruSys® PFM Feed-in 5P

TruSys® PERFORMANCE Feed-In | Feed-In for mounting rail



Product features

- Feed-In 5 and 8 poles connector

Oops! An Error Occurred


The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

TECHNICAL DATA

Dimensions & Weight

Length	85 mm
Width	55.0 mm
Height	15.0 mm
Product weight	21.00 g



Materials & Colors

Product color	Silver
---------------	--------

Application & Mounting

Mounting location	Mounting rail
-------------------	---------------

Certificates & Standards

Standards	CE
-----------	----

DOWNLOAD DATA

Tender texts



Tender documents

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075284623	BAG 1	55 mm x 85 mm x 15 mm	27.00 g	0.07 dm ³
4058075284630	Shipping box 300	440 mm x 440 mm x 260 mm	8810.00 g	50.34 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.