

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

SCHEDA TECNICA DEL PRODOTTO

TruSys® PFM ENERGY RAIL 8P 1500 END

TruSys® PERFORMANCE ENERGY RAIL 8 POLE | Binario elettrificato a 8 poli



Aree di applicazione

- Ingressi industriali, magazzini con scaffali alti, garage, negozi di ferramenta

Vantaggi del prodotto

- Semplice installazione
- Elevata flessibilità grazie a due lunghezze disponibili (binario terminale 1500 mm, 3000 mm e 1500 mm)

Caratteristiche del prodotto

- Cablato con cavo 8 core
- Disponibili con lunghezze diverse
- Connessione elettrica interna al primo apparecchio, non necessaria unità di connessione esterna
- Custodia in lamiera d'acciaio
- End-Rail senza connettori elettrici e meccanici

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.


The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

DATI TECNICI

DIMENSIONI E PESO

Lunghezza	1500 mm
Larghezza	70,2 mm
Altezza	38,8 mm
Peso prodotto	1630,00 g



MATERIALE & COLORI

Colore del prodotto	bianco
---------------------	--------

APPLICAZIONE & INSTALLAZIONE

Temperatura ambiente	-25...+60 °C
Grado di protezione	IP20
Montaggio tipo	Surface
Posizione di montaggio	Soffitto
Con sorgente luminosa	No

CERTIFICATI, NORME E DIRETTIVE

Norme	CE
-------	----

Apparecchiatura / Accessori

– Vari accessori disponibili

DOWNLOAD

Documenti e certificati	
	User instruction

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

	CAD_STEP_3D
Testo per Tender	
	Testi per capitolati

DATI LOGISTICI

Codice prodotto	Unità di imballo (Pezzi/unità)	Dimensioni (lunghezza x profondità x altezza)	Peso lordo	Volume
4058075354760	Cartone di spedizione 1	1,671 mm x 83 mm x 57 mm	1911.00 g	7.91 dm³

Il codice prodotto indicato descrive la minore quantità che può essere ordinata. Una unità di spedizione può contenere uno o più di un singolo prodotto. Quando si inserisce un ordine, per la quantità inserire una o più unità di spedizione.

DISCLAIMER

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.