

PRODUCT DATASHEET Spot Surface Round GU10 Black

LED SPOT SURFACE | Surface mounted luminaires with GU10 socket



Areas of application

- Corridors
- Entrance areas
- Living rooms
- Bedrooms
- Kitchens
- Offices

Product benefits

- Elegant design
- Adjustable heads

Product features

- Suitable for lamps with GU10 base
- Housing material: metal
- Surface spot



TECHNICAL DATA

Electrical data


Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	II
Operating mode	Mains voltage

Photometrical data

Flickering metric (Pst LM)	
, , , , , , , , , , , , , , , , , , ,	

Dimensions & Weight

Diameter	80.00 mm
Height	95.00 mm
Product weight	235.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Aluminum
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C
Type of protection	IP20

Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA	
Luminaire with limited surface temperature, "D sign"	No	
Ball shot safe	No	

Additional product data

	Number of illuminants	1
--	-----------------------	---

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

DOWNLOAD DATA

	Documents and certificates
PDF	User instruction
PDF	Declarations Of Conformity CE
PDF	Declarations Of Conformity UKCA

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075758629	Folding box 1	85 mm x 85 mm x 100 mm	335.00 g	0.72 dm ³
4058075758636	Shipping box 12	275 mm x 180 mm x 225 mm	5020.00 g	11.14 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.