

NatureConnect


by @signify

Large Island Installation guide

August 2023




Large Island frame




I


Unpack and collect all material




Frame trim




Inner frame



For mounting Daylights





For connecting Skylights and Daylights





2

Define suspension 6 points positions




System can be suspended with steel cables with proper workload or threaded rods.

Define suspension 4 points positions



3


Prepare suspension to the ceiling



! Threaded rod / steel cables not included


4

Attach main bars to ceiling suspension




5

Mount cross bars to the main bars




6

Fix cross bars with screws




7

Mount corner brackets




8

Measure diagonals




9

Tighten corners screws




10


Assemble long trim edges



Mount long trim edges 1 screw




Mount long trim edges 2 screws




12

Attach short trim on two sides




13

Secure short trim edges




Skylights & Gear tray - Large Island



I

Unpack and check Skylight and parts




3x


2

Define orientation of the Skylights


For correct orientation of the Skylight, please refer to the Lighting plan”



A




B




3

Insert first Skylight and mount brackets




4

Mount Skylights in the right orientation







5

Insert second and third Skylight




6

Define orientation of the Skylights




7

Align and mount center Skylight





8

Remove protection foil




9

Unpack and check Gear tray and accessories




M5

4x



For connecting mains and Dali




GST18i3 (M)

BST14i2 (F)

BST14i2 (M)

GST18i5 (M)

Lightscape controller (optional)



1x


12mm

2x

To Lightscapes

10


Mount Lightscape controller to the Gear tray (optional)



Do not connect
before Lightscapes
are installed


II

Choose position on island




12

Insert and mount Gear tray



Daylights - Large Island




I

Unpack and check Daylight and accessories




4X




2

Place Daylight panel on a clean, flat surface




3

Mount brackets on both sides




4

Mount Daylight gear tray




5a

Connect driver cables




6a

Hook first panel onto the frame




7

Flip Daylight downwards in hanging position




8

Repeat for all Daylights




9

Connect Skylights and Daylights




10

Connect cables on the island gear tray




II

Push Daylights into the frame




12


Align elements



Align all corners




Keep a distance of ± 2.5 mm
between all elements







How to remove Daylights from the frame (optional)




A



C



B





© 2022 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.