

PRODUCT DATASHEET

SF CIRCULAR 500 FRAME WT

SURFACE CIRCULAR FRAME | Decorative frame for SURFACE CIRCULAR 500



Areas of application

- Extension for SURFACE CIRCULAR 500

Product benefits

- Design extension for a more decorative appearance
- Allows direct light as well as accentuated light to the ceiling
- Easy and quick installation

Product features


- Available in black / gold (like RAL790-5 / RAL260-M) and white (like RAL110-1) color
- Metal sheet frame




TECHNICAL DATA

Photometrical data

Beam angle	120 °
------------	-------




LDC typ cone



LDC typ polar

Dimensions & Weight

Diameter	560 mm
Height	105.00 mm
Product weight	1650.00 g



Materials & Colors

Product color	White
Body material	Steel

Application & Mounting

Mounting type	Surface
Mounting location	Ceiling

Certificates & Standards

Ball shot safe	No
----------------	----

Additional product data

Product remark	Available from December 2023
----------------	------------------------------

EQUIPMENT / ACCESSORIES

- Replacement cover optionally available

DOWNLOAD DATA


Documents and certificates	
	User instruction
	Declarations Of Conformity CE
Photometric and lighting design files	
	IES file (IES)
	LDT file (Eulumdat)
	UGR file (UGR table)
	LDC typ cone
	LDC typ polar
Tender texts	
	Tender documents

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075834187	Folding box 1	112 mm x 567 mm x 560 mm	2125.00 g	35.56 dm ³
4058075834194	Shipping box 5	585 mm x 585 mm x 605 mm	12515.00 g	207.05 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.