

# PRODUCT DATASHEET

## Decor Wood Wall E27

Decor Wood | Decorative luminaires with socket E27 metal and wood



### Areas of application

- Corridors
- Entrance areas
- Living rooms
- Bedrooms

### Product benefits

- Elegant design
- Socketed luminaire, the lamps can be replaced
- High flexibility in the choice of the light source thanks to E27 socket

### Product features

- Housing material: metal and wood
- Decorative Luminaire



TECHNICAL DATA

Electrical data


|                  |             |
|------------------|-------------|
| Nominal voltage  | 220...240 V |
| Mains frequency  | 50...60 Hz  |
| Protection class | II          |

Photometrical data

|                                 |   |
|---------------------------------|---|
| Flickering metric (Pst LM)      | - |
| Stroboscope effect metric (SVM) | - |

Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 150.00 mm |
| Width          | 110.00 mm |
| Height         | 300.00 mm |
| Product weight | 330.00 g  |



Materials & Colors

|                 |                  |
|-----------------|------------------|
| Product color   | Wood decor Black |
| Housing color   | Wood decor Black |
| Body material   | Wood             |
| Mercury content | 0.0 mg           |

Application & Mounting

|                           |              |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
| Type of protection        | IP20         |

|                         |         |
|-------------------------|---------|
| Dimmable                | No      |
| Mounting type           | Surface |
| Application environment | Indoor  |
| With light source       | No      |
| Holder designation      | E27     |

### Certificates & Standards

|                                                      |           |
|------------------------------------------------------|-----------|
| Standards                                            | CE / UKCA |
| Luminaire with limited surface temperature, "D sign" | No        |
| Ball shot safe                                       | No        |

### Additional product data

|                       |   |
|-----------------------|---|
| Number of illuminants | 1 |
|-----------------------|---|

### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

### DOWNLOAD DATA

| Documents and certificates                                                         |                                 |
|------------------------------------------------------------------------------------|---------------------------------|
|  | User instruction                |
|  | Declarations Of Conformity CE   |
|  | Declarations Of Conformity UKCA |

### LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075757080 | Folding box<br>1             | 128 mm x 192 mm x 353 mm             | 459.00 g     | 8.68 dm <sup>3</sup>  |
| 4058075757097 | Shipping box<br>4            | 531 mm x 213 mm x 378 mm             | 2413.00 g    | 42.75 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.