

# PRODUCT DATASHEET SPC.T CL 15 W 230 V E14

SPECIAL OVEN T | Incandescent lamps, tubular shape, for oven lighting



#### Areas of application

- Baking ovens
- Domestic baking ovens




## **TECHNICAL DATA**

## Electrical data

Nominal wattage	15 W
Construction wattage	15.00 W
Nominal voltage	230 V

## Photometrical data

Luminous flux	85 lm
Luminous efficacy	5 lm/W
Color temperature	2700 K
Color rendering index Ra	> 99
Light color	927



## Light technical data

Starting time	0 s
---------------	-----

# Dimensions & Weight

Overall length	55.00 mm
Length with base excl. base pins/connection	57.00 mm
Light center length (LCL)	45,0 mm
Diameter	26,0 mm
Product weight	7.6 g

## Lifespan

Lifespan L70/B50 at 25 °C	1000 h

## Additional product data

Base (standard designation) E14	
---------------------------------	--

Mercury-free	Yes
Capabilities	
Dimmable	Yes
Certificates & Standards	
Energy efficiency class	G
Energy consumption	15.00 kWh/1000h
Country-specific categorizations	
ILCOS	IBT/C-15-230-E14-26
Order reference	SPC.T26/57 CL 1
Energy labelling regulation data acc EU 2019/2015	
Lighting technology used	OTHER
Non-directional or directional	NDLS
Mains or non-mains	MLS
Light source cap-type (or other electric interface)	E14
Connected light source (CLS)	No
Color-tuneable light source	No
Envelope	No
High luminance light source	No
Anti-glare shield	No
Correlated colour temperature type	SINGLE_VALUE
Claim of equivalent power	No
Length	55.00 mm
Height	26,0 mm
Width	26,0 mm
Chromaticity coordinate x	0.496
Chromaticity coordinate y	0.416
Beam angle correspondence	SPHERE_360
EPREL ID	714461
Model number	AC35396

#### **DOWNLOAD DATA**

Photometric and lighting design files
Spectral power distribution

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300310282	Folding box 1	61 mm x 23 mm x 27 mm	16.00 g	0.04 dm³
4050300774558	Bundle 10	82 mm x 62 mm x 110 mm	123.00 g	0.56 dm³
4050300961729	Shipping box 100	275 mm x 139 mm x 138 mm	1430.00 g	5.28 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.