

PRODUCT DATASHEET TRUSYS FLEX T03-NODE 5P WT

TruSys® FLEX T-NODE | T-shaped rail connertor for corners





Product benefits

- Simple installation

Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exiter with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

| Pro | ection class | I |
|-----|--------------|---|
| | | |

Dimensions & Weight

| Length | 800 mm |
|----------------|-----------|
| Width | 296 mm |
| Height | 59 mm |
| Product weight | 1750.00 g |



Materials & Colors

| Product color | White |
|---------------|-------|
| Body material | Steel |

Application & Mounting

| Mounting location | Ceiling |
|-------------------|---------|
|-------------------|---------|

Certificates & Standards

| 0: 1 1 | OF / OP / LIKOA / FNFO / FAO |
|-----------|------------------------------|
| Standards | CE / CB / UKCA / ENEC / EAC |

Additional product data

| Product remark | Available from March 2024 |
|----------------|---------------------------|
| | |

DOWNLOAD DATA

| | Documents and certificates |
|-----|---------------------------------|
| PDF | Declarations Of Conformity CE |
| PDF | Declarations Of Conformity UKCA |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------|
| 4058075782136 | Shipping box 2 | 685 mm x 685 mm x 185 mm | 6524.00 g | 86.81 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.