

PRODUCT DATASHEET TRUSYS FLEX T01-NODE 8P WT

TruSys® FLEX T-NODE | T-shaped rail connertor for corners



Product benefits

- Simple installation

Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exiter with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

Protection class	I .

Dimensions & Weight

Length	650 mm
Width	446 mm
Height	59 mm
Product weight	1900.00 g



Materials & Colors

Product color	White
Body material	Steel

Application & Mounting

Mounting location	Ceiling
-------------------	---------

Certificates & Standards

0: 1 1	OF / OP / LIKOA / FNFO / FAO
Standards	CE / CB / UKCA / ENEC / EAC

Additional product data

Product remark	Available from March 2024

DOWNLOAD DATA

	Documents and certificates
PDF	Declarations Of Conformity CE
PDF	Declarations Of Conformity UKCA

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782143	Shipping box 2	685 mm x 685 mm x 185 mm	6824.00 g	86.81 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.