


# PRODUCT DATASHEET Neon Flex 2M RGB USB + RC

NEONFLEX USB WITH REMOTE CONTROL | Decorative colorful LED Strips for indoor use with a homogenous lighting effect, USB-connected



# Areas of application

- Living areas
- Indirect lighting

# **Product benefits**

- Homogenous light distribution
- Easy and quick installation

#### **Product features**

- RGB color control
- USB connection
- Flexible, bendable LED strips



# **TECHNICAL DATA**

# Electrical data

Nominal wattage	4.00 W
Nominal voltage	5 V
Nominal current	800.000 mA
Protection class	Ш

# Photometrical data

Light color (designation)	Red / Green / Blue	
Photobiological safety group acc. to EN62778	RG1	
Beam angle	120 °	

# Dimensions & Weight

Length	2100.00 mm
Width	6.20 mm
Height	12.00 mm
Product weight	260.00 g

### Materials & Colors

Product color	White
Housing color	White
Body material	Silicone
Cover material	Silicone
Mercury content	0.0 mg

# **Application & Mounting**

Ambient temperature range	-20+40 °C
Temperature range at storage	-2080 °C
Type of connection	USB
Type of protection	IP20
Dimmable	Yes

Mounting type	Surface
Application environment	Indoor
LED module replaceable	Not replaceable

### Lifespan

Lifespan L70/B50 at 25 °C	25000 h <sup>1)</sup>
Number of switching cycles	10000

<sup>1)</sup> t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

### **BATTERY**

Battery size [GMS]	CR2025
--------------------	--------

# Certificates & Standards

Standards	CE / UKCA
-----------	-----------

### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included
- Remote control and battery included

# DOWNLOAD DATA

	Documents and certificates
PDF	User instruction
PDF	Packaging insert
PDF	Declarations Of Conformity CE

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854095306	Folding box	37 mm x 155 mm x 156 mm	305.00 g	0.89 dm <sup>3</sup>
4099854095313	Shipping box 12	336 mm x 240 mm x 188 mm	3996.00 g	15.16 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.