

# PRODUCT DATASHEET Bathroom Wall 455mm E14 Black

Bathroom Wall Luminaire IP44 E14 | Luminaire with socketed base and IP44



#### Areas of application

- Indoor applications
- Bathrooms (IP44)

#### Product benefits

- Socketed luminaire, the lamps can be replaced

#### **Product features**

- Type of protection: IP44
- The cover is made of high quality glass



#### **TECHNICAL DATA**

#### Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	1
Operating mode	Mains voltage

## Dimensions & Weight

Length	86.00 mm
Width	72.00 mm
Height	455.00 mm
Product weight	1442.00 g

#### Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

## **Application & Mounting**

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Screw terminal, 3-Pole
Type of protection	IP44
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No
Holder designation	E14

#### Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

#### Additional product data

Product remark	Maximum bulb wattage: 3 x 12 W LED
Number of illuminants	3

#### DOWNLOAD DATA

	Documents and certificates
PDF	User instruction
PDF	Packaging insert
PDF	Declarations Of Conformity CE
PDF	Declarations Of Conformity UKCA

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854103292	Folding box	90 mm x 180 mm x 475 mm	2108.00 g	7.70 dm <sup>3</sup>
4099854103308	Shipping box 4	380 mm x 200 mm x 505 mm	9014.00 g	38.38 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.