

# PRODUCT DATASHEET

## SMART+ Wifi Garden Pole Mini 3P Ext RGB + W

Smart+ Garden Pole Multicolor | Decorative light poles for outdoor use with WiFi technology



### Areas of application

- Gardens, balconies and other outdoor areas

### Product benefits

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

### Product features

- Controllable via LEDVANCE SMART+ App (with minimum Android 8.0 or iOS 14.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Protection class (pole): IP65
- Protection class (power supply): IP44
- Extension up to maximum 8 poles



## TECHNICAL DATA

### Electrical data


Nominal wattage	1.90 W
Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Power factor $\lambda$	> 0.5
Protection class	III
Operating mode	Mains voltage

### Photometrical data

Luminous flux	45 lm
Total luminous flux of contained light sources	132 lm
Luminous efficacy	57 lm/W
Color temperature	3000 K
Light color (designation)	RGBW
Color rendering index Ra	$\geq 80$
Standard deviation of color matching	$\leq 6$ sdcn
Beam angle	280 °

### Dimensions & Weight

Diameter	22.00 mm
Width	22.00 mm
Height	227.00 mm
Product weight	220.00 g



### Materials & Colors

Product color	Steel
Housing color	Steel

Body material	Stainless steel
Cover material	Polycarbonate (PC)

### Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	Plug, EU
Type of protection	IP65
Dimmable	Yes
Type of dimming	WiFi
Mounting type	Ground spike
Mounting location	Ground
Application environment	Outdoor
LED module replaceable	Not replaceable
With light source	Yes

### Lifespan

Lifespan L70/B50 at 25 °C	25000 h
Number of switching cycles	12500

### Certificates & Standards

Standards	CE / EAC
-----------	----------



### Additional product data

Product remark	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.
----------------	--

### EQUIPMENT / ACCESSORIES

- Power supply included only in basic set
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART+ App, a smartphone or tablet is required (with minimum Android 8.0 or iOS 14.0)

### DOWNLOAD DATA

Documents and certificates	
	User instruction
	Declarations Of Conformity CE

---

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075478237	Folding box 1	80 mm x 160 mm x 50 mm	239.00 g	0.64 dm <sup>3</sup>
4058075478244	Shipping box 4	180 mm x 180 mm x 120 mm	1107.00 g	3.89 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## References / Links

– Further information and frequently asked questions (FAQs) at [www.ledvance.com/consumer/smart/faq](http://www.ledvance.com/consumer/smart/faq)

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.