

# PRODUCT DATASHEET Neon Digital Flex IP44 5M RGB + RC

NEON DIGITAL FLEX | Decorative colorful LED Strips for outdoor use with homogeneous illumination



## Areas of application

- Gardens, balconies and other outdoor areas
- Indirect and direct lighting
- Living areas

## Product benefits

- Easy and quick installation

## **Product features**

- Switch on and off, color changing and dimming via remote control
- Type of protection: IP44
- Dimmable



## **TECHNICAL DATA**

## Electrical data

Nominal wattage	23.00 W
Nominal voltage	220240 V
Mains frequency	5060 Hz
Nominal current	170.000 mA
Power factor $\lambda$	> 0.50
Protection class	П
Operating mode	External LED driver

## Photometrical data

Luminous flux	180 lm
Luminous efficacy	8 lm/W
Color temperature	RGB
Light color (designation)	RGB
Color rendering index Ra	> 80
Beam angle	160 °

# Dimensions & Weight

Length	5000.00 mm
Width	6.70 mm
Height	13.50 mm
Product weight	632.00 g



## Materials & Colors

Body material	Silicone
Cover material	Polycarbonate (PC)
Mercury content	0.0 mg

# **Application & Mounting**

oient temperature range -20	20+40 °C
-----------------------------	----------

Temperature range at storage	-20+80 °C
Type of connection	Plug, EU
Type of protection	IP44
Dimmable	Yes
Mounting type	Surface
Mounting location	All surfaces
Application environment	Outdoor
LED module replaceable	Not replaceable
With light source	Yes

## Lifespan

Lifespan L70/B50 at 25 °C	30000 h <sup>1)</sup>
Number of switching cycles	15000

<sup>1)</sup> t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

## **BATTERY**

Type of Battery	Li metal button cell battery
Battery size [GMS]	CR2025
Number of included batteries	1
Nominal voltage of battery	3 V
Nominal capacity of battery	150 mAh

## Certificates & Standards

Standards	CE / EAC
-----------	----------

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included
- Remote control and battery included

## DOWNLOAD DATA

	Documents and certificates
POF	User instruction
PDF	Declarations Of Conformity CE

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075504769	Folding box	64 mm x 299 mm x 275 mm	914.00 g	5.26 dm <sup>3</sup>
4058075504776	Shipping box 4	570 mm x 314 mm x 168 mm	4305.00 g	30.07 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.