



Color: ■ gray

Coding *WINSTA*® MIDI

Choose tried-and-tested sustainability for the installation for the implementation of your project: The coding from the *WINSTA*® MIDI product line. A comprehensive range of accessories rounds out the *WINSTA*® product line from WAGO. The *WINSTA*® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates safe electrification. Due to the built-in test slot, it is possible to check connections even when they are plugged in. That saves time and reduces installation labor and costs.

WINSTA® MIDI solutions for your electrical installation – protected against mismatching and maintenance-free

The *WINSTA*® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, even more reliable, and error-free. Use of this pre-assembled system reduces time spent on assembly and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismatching from WAGO.

- for automation controllers
- fast, secure installation

Mechanical data	
Suitable	for plug; A- and B-coding

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.002 MJ
Weight	0.1 g



Environmental requirements	
Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data	
Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332801935
Customs tariff number	39269097900

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-401

↓

Documentation			
Bid Text			
770-401	19.02.2019	xml 2.56 KB	↓
770-401	13.01.2015	doc 21.50 KB	↓

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 770-401	WSCAD Universe 770-401
	ZUKEN Portal 770-401

Installation Notes

Coding



Insert coding pin into plug (break first) until it engages.