



Color: ■ gray

Electrical data		
Ratings per IEC/EN		
Rated current	16 A	
Physical data		
Width	10 mm / 0.394 inches	
Height	3 mm / 0.118 inches	
Jumper assignment	1-2	
Material data		
Note (material data)	Information on material specifications can be found here	
Color	gray	
Material group	I	
Insulation material	Polyamide (PA66)	
Flammability class per UL94	V0	
Fire load	0.005 MJ	
Weight	0.5 g	
Commercial data		
eCl@ss 10.0	27-14-11-40	
eCl@ss 9.0	27-14-11-40	
ETIM 8.0	EC000489	
ETIM 7.0	EC000489	
PU (SPU)	200 (25) pcs	
Packaging type	Box	
Country of origin	DE	
GTIN	4044918458283	
Customs tariff number	85366990990	



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 264-402	↓

Documentation

Additional Information			Bid Text	
Technical Section	pdf 2240.62 KB	↓	264-402	19.02.2019
				xml 2.62 KB
			264-402	30.05.2017
				doc 23.50 KB

CAD/CAE-Data

CAD data		CAE data	
2D/3D Models 264-402	↓	EPLAN Data Portal 264-402	↓
		WSCAD Universe 264-402	↓
		ZUKEN Portal 264-402	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool



1.1.1.1 Operating tool



[Item No.: 280-432](#)
Operating tool; made of insulating material; 2-way; white

Installation Notes

Commoning



Commoning with comb-style jumper bar.

Commoning with comb-style jumper bar.