Data Sheet | Item Number: 2009-412

Push-in type wire jumper; insulated; 60 mm long; black

https://www.wago.com/2009-412





Color: ■ black Similar to illustration

Notes

Safety information

Push down the wire jumper until fully inserted!

Electrical data

Ratings per IEC/EN		
Nominal voltage (III/3)	800 V	
Rated impulse voltage (III/3)	8 kV	
Rated current	18 A	

Connection data

_						_
Co	nn	e	cti	0	n	1

Solid conductor 1.5 mm²

N	м	_	_	h	_	n	in	_	l c	1-	+,	
ш	VΙ	т.	ι.		а		IL.	.a	II.		ш	,

Wire length of wire jumpers 60 mm

N/	late	ria	l data	١
IVI	ale	Hall	เนลเล	

Weight

Note (material data)

<a href=

Information on material specifications can be found here black

2 g

Data Sheet | Item Number: 2009-412

https://www.wago.com/2009-412



Commercial data	
Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	100 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454302238
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status Compliant,No Exemption

Downloads Environmental Product Compliance Compliance Search Environmental Product Compliance 2009-412

Documentation						
Additional Information			Bid Text			
Technical Section	pdf 2240.62 KB	$\underline{\downarrow}$	2009-412	19.02.2019	xml 2.77 KB	\perp
			2009-412	28.04.2017	doc 24.00 KB	\downarrow

CAD/CAE-Data		
CAE data		
EPLAN Data Portal 2009-412	<u>↓</u>	
WSCAD Universe 2009-412	$\overline{\downarrow}$	

Installation Notes

Commoning



Push down the wire jumper (2009-412) until fully inserted. Lift the jumper with an operating tool for rewiring.

Data Sheet | Item Number: 2009-412

https://www.wago.com/2009-412



Commoning



Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$