



Color: ■ gray

Notes	
Safety information	Push down the wire jumper until fully inserted!

Electrical data

Ratings per IEC/EN	
Nominal voltage (III/3)	800 V
Rated impulse voltage (III/3)	8 kV
Rated current	9 A

Connection data

Connection 1	
Solid conductor	0.75 mm²

Mechanical data

Wire length of wire jumpers	60 mm
-----------------------------	-------

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.015 MJ
Weight	1.5 g



Commercial data		
Product Group	2 (Terminal Block Accessories)	
eCl@ss 10.0	27-14-11-40	
eCl@ss 9.0	27-14-11-40	
ETIM 8.0	EC000489	
ETIM 7.0	EC000489	
PU (SPU)	100 (10) pcs	
Packaging type	Box	
Country of origin	DE	
GTIN	4050821458883	
Customs tariff number	85444290900	

Environmental Product Compliance		
RoHS Compliance Status	Compliant, No Exemption	

Downloads

Environmental Product Compliance

Compliance Search


Environmental Product Compliance 2009-402

↓

Documentation				
Additional Information			Bid Text	
Technical Section	pdf 2240.62 KB	↓	2009-402	19.02.2019
			xml 2.77 KB	↓
			2009-402	28.04.2017
			doc 23.50 KB	↓

CAD/CAE-Data	
CAE data	
EPLAN Data Portal 2009-402	↓
WSCAD Universe 2009-402	↓

Installation Notes
Commoning



Push down the wire jumper (2009-402) until fully inserted. For rewiring, lift the jumper with an operating tool at the notch provided for this purpose on the jumper.

Commoning



Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.