



Color: ■ white

Technical data	
Suitable	for WAGO Rail-Mount Terminal Blocks TOPJOB® S, X-COM®S-SYSTEM, X-COM®S-SYS-TEM-MINI and 285/788/857/2857 Series
Marking method	Thermal transfer
Marking	plain
Delivery form	Strip
Delivery form configuration	50 m; 1 line
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Width	11 mm
Strip width	11 mm

Mechanical data	
Mounting type	Snapping on
Smear resistance	EN 60998-1:2004

Material data	
Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	260 g
Fire load	7.8 MJ



Environmental requirements	
Ambient temperature (storage)	+10 ... +21 °C
Ambient temperature (operation)	-40 ... +150 °C
Relative humidity	40 ... 50 %

Commercial data	
Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	LU
GTIN	4044918102483
Customs tariff number	39206219888

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations



Approval	Standard	Certificate Name
Railway WAGO GmbH & Co. KG	-	Railway Ready

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 2009-110	↓

Documentation

Additional Information				Bid Text			
Allocation roller printing material	001.12.2016	pdf 139.96 KB	↓	2009-110	19.02.2019	xml 2.57 KB	↓
	10.09.2020			2009-110	04.01.2018	doc 23.00 KB	↓



Operating Instructions			
2009-110 Information on printing material	1 28.08.2020	pdf 1190.09 KB	

CAD/CAE-Data	
CAD data 2D/3D Models 2009-110	CAE data EPLAN Data Portal 2009-110

1 Compatible Products
1.1 Optional Accessories
1.1.1 Marking
1.1.1.1 Marking device



Item No.: 258-5000
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material