

Data Sheet | Item Number: 711-133

Transformer terminal block; 3-pole; CAGE CLAMP® connection for conductors; 4,00 mm²; gray

<https://www.wago.com/711-133>



Color:  gray

Similar to illustration

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	800 V	-
Rated surge voltage	-	8 kV	-
Rated current	-	25 A	-

Connection data

Connection points	3
Total number of potentials	3
Number of connection types	1

Connection 1	
Connection technology	CAGE CLAMP®
Strip length	9 ... 10 mm / 0.35 ... 0.39 inches
Pole number	3

Physical data

Width	22.5 mm / 0.886 inches
Height	35 mm / 1.378 inches
Depth	23.5 mm / 0.925 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.299 MJ
Weight	10.7 g



Commercial data		
eCl@ss 10.0		27-14-11-10
eCl@ss 9.0		27-14-11-10
ETIM 8.0		EC000398
ETIM 7.0		EC000398
PU (SPU)		50 pcs
Packaging type		Box
Country of origin		DE
GTIN		4044918819343
Customs tariff number		85369010000

Environmental Product Compliance		
RoHS Compliance Status		Compliant, No Exemption

Approvals / Certificates		
General approvals		Declarations of conformity and manufacturer's declarations
		
Approval	Standard	Certificate Name
CCA DEKRA Certification B.V.	EN 60998	NTR NL-7194
CCA DEKRA Certification B.V.	EN 60998	2160584.54
CSA DEKRA Certification B.V.	C22.2 No. 158	1101145
UL UL International Germany GmbH	UL 1059	E45172
Approval	Standard	Certificate Name
EU-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
UK-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 711-133	

Documentation			
Additional Information			
Technical Section	03.04.2019	pdf 2010.85 KB	



CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 711-133	EPLAN Data Portal 711-133
	
	ZUKEN Portal 711-133
	