



Color: ■ light gray

Electrical data

| Ratings per IEC/EN            |       |
|-------------------------------|-------|
| Nominal voltage (III/3)       | 800 V |
| Rated impulse voltage (III/3) | 8 kV  |

Physical data

|                   |                        |
|-------------------|------------------------|
| Width             | 57.5 mm / 2.264 inches |
| Height            | 4.1 mm / 0.161 inches  |
| Depth             | 23 mm / 0.906 inches   |
| Jumper assignment | 1-3-5                  |

Material data

|                      |                                                                                                                        |
|----------------------|------------------------------------------------------------------------------------------------------------------------|
| Note (material data) | <a href="https://www.wago.com/us/material-specifications">Information on material specifications can be found here</a> |
| Color                | light gray                                                                                                             |
| Fire load            | 0.051 MJ                                                                                                               |
| Weight               | 10.6 g                                                                                                                 |

Commercial data

|                       |               |
|-----------------------|---------------|
| eCl@ss 10.0           | 27-14-11-40   |
| eCl@ss 9.0            | 27-14-11-40   |
| ETIM 8.0              | EC000489      |
| ETIM 7.0              | EC000489      |
| PU (SPU)              | 25 pcs        |
| Packaging type        | Bag           |
| Country of origin     | DE            |
| GTIN                  | 4055143702539 |
| Customs tariff number | 85366990990   |



| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

Approvals / Certificates

Declarations of conformity and manufacturer's declarations



| Approval                      | Standard | Certificate Name |
|-------------------------------|----------|------------------|
| Railway<br>WAGO GmbH & Co. KG | -        | Railway Ready    |

Downloads


| Environmental Product Compliance                     |                   |
|------------------------------------------------------|-------------------|
| Compliance Search                                    |                   |
| Environmental Product Compliance<br>2016-405/011-000 | <a href="#">↓</a> |

| Documentation          |                   |                   |                  |                 |
|------------------------|-------------------|-------------------|------------------|-----------------|
| Additional Information |                   |                   | Bid Text         |                 |
| Technical Section      | pdf<br>2240.62 KB | <a href="#">↓</a> | 2016-405/011-000 | 19.02.2019      |
|                        |                   |                   |                  | xml<br>2.53 KB  |
|                        |                   |                   | 2016-405/011-000 | 28.04.2017      |
|                        |                   |                   |                  | doc<br>24.00 KB |

| CAD/CAE-Data                     |                   |                                       |
|----------------------------------|-------------------|---------------------------------------|
| CAD data                         |                   | CAE data                              |
| 2D/3D Models<br>2016-405/011-000 | <a href="#">↓</a> | EPLAN Data Portal<br>2016-405/011-000 |
|                                  |                   | <a href="#">↓</a>                     |
|                                  |                   | WSCAD Universe<br>2016-405/011-000    |
|                                  |                   | <a href="#">↓</a>                     |
|                                  |                   | ZUKEN Portal<br>2016-405/011-000      |
|                                  |                   | <a href="#">↓</a>                     |

## Installation Notes

### Commoning



This star point jumper has been specially developed to create a "star point" and is used on motor terminal boards equipped with Rail-Mount Terminal Blocks TOPJOB® S.