



Color: orange

Similar to illustration

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	800 V	-
Rated surge voltage	-	8 kV	-
Rated current	-	25 A	-

Connection data

Connection points	3	Connection 1	
Total number of potentials	3	Connection technology	CAGE CLAMP®
Number of connection types	1	Strip length	9 ... 10 mm / 0.35 ... 0.39 inches
		Pole number	3

Physical data

Width	22.5 mm / 0.886 inches
Height	35 mm / 1.378 inches
Depth	23.5 mm / 0.925 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Fire load	0.229 MJ
Weight	10.8 g



Commercial data	
eCl@ss 10.0	27-14-11-10
eCl@ss 9.0	27-14-11-10
ETIM 8.0	EC000398
ETIM 7.0	EC000398
PU (SPU)	50 pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918853804
Customs tariff number	85369010000

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Approvals / Certificates		
General approvals		Declarations of conformity and manufacturer's declarations
CCA KEMA KEUR CSA UL[®]		
Approval	Standard	Certificate Name
CCA DEKRA Certification B.V.	EN 60998	NTR NL-7194
CCA DEKRA Certification B.V.	EN 60998	2160584.54
CSA DEKRA Certification B.V.	C22.2 No. 158	1101145
UL UL International Germany GmbH	UL 1059	E45172
Approval	Standard	Certificate Name
EU-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
UK-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 711-173	

Documentation	
Additional Information	
Technical Section	pdf 03.04.2019 2010.85 KB 



CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 711-173	EPLAN Data Portal 711-173
	
	ZUKEN Portal 711-173
	