



Color: ■ gray

Physical data	
Width	1.5 mm / 0.059 inches

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.02 MJ
Weight	0.5 g

Commercial data	
Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918924863
Customs tariff number	85389099990



Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations			Approvals for marine applications		
			  		
Approval	Standard	Certificate Name	Approval	Standard	Certificate Name
Railway WAGO GmbH & Co. KG	-	Railway Ready	BV Bureau Veritas S.A.	EN 60947	38586/B0 BV
			DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
			LR Lloyds Register	EN 60947	91/20112 (E9)


Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 2002-541	

Documentation			
Additional Information		Bid Text	
Technical Section	pdf 2240.62 KB	2002-541	19.02.2019 xml 2.56 KB
		2002-541	27.04.2017 doc 23.50 KB

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 2002-541	WSCAD Universe 2002-541
	ZUKEN Portal 2002-541

Installation Notes

Installation



Snapping connectors and spacers together to assemble a multipole connector.