

Data Sheet | Item Number: 280-418

Test plug module; modular; suitable for all WAGO 280 and 780 Series rail-mounted terminal blocks with jumper slots in the current bar; gray

<https://www.wago.com/280-418>



Color: ■ gray

Notes	
Safety information	These test plugs are not suitable for Ex e applications.

Electrical data

General information	
Test voltage	400 V
Test current	6 A

Physical data

Width	5 mm / 0.197 inches
Module width	5 mm / 0.197 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.166 MJ
Weight	1.8 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 8.0	EC002255
ETIM 7.0	EC002255
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918276313
Customs tariff number	85366990990



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 280-418	↓

Documentation			
Additional Information		Bid Text	
Technical Section	pdf 2240.62 KB	280-418	19.02.2019 xml 2.86 KB
		280-418	28.04.2017 doc 23.50 KB


CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 280-418	WSCAD Universe 280-418
	ZUKEN Portal 280-418

1 Compatible Products
1.1 Optional Accessories
1.1.1 Test and measurement
1.1.1.1 Testing accessories




[Item No.: 210-136](#)
Test plug; 2 mm Ø; with 500 mm cable; red

Installation Notes
Installation



Snapping test plug and spacer modules together to assemble a multipole test plug module.

Testing



Test plugs modules are directly plugged into the jumper contact slot of the current bar.