

Double faceplate with 71 mm centre-to-centre distance, for use in cable trunking systems, Niko Original white

101-76801


4 year warranty

This double faceplate has a centre-to-centre distance of 71 mm and is suitable for use in trunking systems. Finishing colour faceplate: Niko Original white,

Technical data

Double faceplate with 71 mm centre-to-centre distance, for use in cable trunking systems, Niko Original white.

- Double faceplate for two switches.
- Colour: white (coloured in mass, approximately NCS S 0502 - Y50R, RAL 9010)
- Text field: faceplate with text field for simple marking and identification. Specially designed for cable trunking systems with a cover opening of 80 mm. Particularly suited to use in e.g. health care, retail, offices, hospitals, etc.
- Frame composition: It is made of dimensionally stable pc+asa.
- Surface-mounting height: max. 9.2 mm
- Fire safety
 - self-extinguishing: complies with a filament test of 650°C
 - halogen-free
- Protection degree: IP41 for the combination of a mechanism, central plate and faceplate
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact-resistance of IK06
- Dimensions (HxWxD): 80 x 150 x 89 mm
- Certification marks: CEBEC, NF, ÖVE, KEMA
- Marking: CE



CE