


Product datasheet

Specifications



4P CONN.LIN.BW INSUL.BB/ LIN.FM D.BLK200A

04021

⚠ Discontinued on: 5 Apr 2023

EAN Code: 3303430040217

⚠ Discontinued

Main

Range	Linergy
Range of product	Linergy
Product or component type	Flexible connection
Product name	Linergy FM
product name	Prisma Prisma G enclosure Prisma Prisma P enclosure Linergy Linergy FM device feeder
Standards	IEC 61439-1, inside Prisma IEC 61439-2, inside Prisma
Product certifications	ASEFA

Complementary

Cubicle-device connection	Linergy FM distribution block Linergy BW busbar
Poles description	4P
installation description	Enclosure - width >= 600 mm
Installed device	Linergy FM 200 A
[Ie] rated operational current	200 A
[In] rated current	200 A
Colour	Anthracite grey (RAL 7016)
Length	400 mm
Net weight	0.78 kg
Quantity per set	Set of 4

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2 cm
Package 1 Width	12.5 cm
Package 1 Length	39 cm
Package 1 Weight	750 g

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Compliant

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes


Use Again

Repack and remanufacture

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins