


# Product datasheet

Specifications



## LINERGY BS MULTISTAGE B.BAR SUPPORT 630A

04192

⚠ Discontinued on: 5 Apr 2023

EAN Code: 3303430041924

⚠ Discontinued

### Main

Range	Linergy
Range of product	Linergy
Product or component type	Busbar support
Product name	Linergy BS
Range compatibility	Linergy Linergy BS busbar Prisma Prisma G enclosure

### Complementary

Cubicle-device connection	Linergy BS lateral busbar
installation description	Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm
Permissible current	160 A - busbar cross section: 15 x 5 mm 250 A - busbar cross section: 20 x 5 mm 400 A - busbar cross section: 32 x 5 mm 630 A - busbar cross section: 32 x 8 mm
[Icw] rated short-time withstand current	10 kA (1 s) at 160 A for 450 mm between support centres 20 kA (1 s) at 400 A for 300 mm between support centres 13 kA (1 s) at 250 A for 450 mm between support centres 15 kA (1 s) at 400 A for 450 mm between support centres 15 kA (1 s) at 630 A for 450 mm between support centres 20 kA (1 s) at 630 A for 300 mm between support centres 25 kA (0.6 s) at 400 A for 300 mm between support centres 25 kA (1 s) at 630 A for 300 mm between support centres
Quantity per set	Set of 1
Net weight	0.2 kg

### Environment

Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASEFA

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2 cm
Package 1 Width	11.5 cm
Package 1 Length	23.5 cm

---

Package 1 Weight 200 g

## Contractual warranty

---

Warranty 18 months


## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.


[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No