

# Product datasheet

Specifications



## interface - for automatic controller - ACP - 220..240 V

Local distributor code:

382193172

29363

**EAN Code: 3303430293637**

## Main

<b>Range of product</b>	Compact NS630b...1600 MasterPact NW MasterPact NT Compact NS100...630 NSX100...250 NSX400...630
<b>Range</b>	ComPact
<b>Product or component type</b>	Control plate
<b>Accessory / separate part category</b>	Interlocking accessory
<b>Range compatibility</b>	ComPact ComPact NS circuit breaker ComPact ComPact NSX circuit breaker Masterpact MasterPact NT circuit breaker Masterpact MasterPact NT switch disconnecter Masterpact MasterPact NW circuit breaker Masterpact MasterPact NW switch disconnecter
<b>Device short name</b>	ACP
<b>[Us] rated supply voltage</b>	220...240 V AC at 50/60 Hz

## Complementary

<b>Interlocked device</b>	MasterPact NW MasterPact NT Compact NS100...630 Compact NS630b...1600 NSX400...630 NSX100...250
<b>Selection modes</b>	Circuit breaker on R Circuit breaker on N
<b>Input type</b>	Contacts customer voluntary order to transfer to source R
<b>Output type</b>	Contacts customer: indication of operation in automatic or stop mode
<b>Product compatibility</b>	Compact NSX100...250 Compact NSX400...630 Compact NS630b...1600

## Environment

<b>IP degree of protection</b>	IP20 connectors: conforming to EN 60529 IP40 front: conforming to EN 60529 IP30 side: conforming to EN 60529
<b>IK degree of protection</b>	Front: IK07 conforming to EN 50102

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1

Package 1 Height	12.400 cm
Package 1 Width	16.400 cm
Package 1 Length	27.500 cm
Package 1 Weight	2.121 kg
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	13.426 kg
Unit Type of Package 3	P12
Number of Units in Package 3	24
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	64.904 kg

## Logistical informations

Country of origin	PL
-------------------	----

## Contractual warranty

Warranty	18 months
----------	-----------


## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
SCIP Number	Afcb45ad-4a7f-4ead-9d6b-54f34313eeb9

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

