


# Product datasheet

Specifications



## chassis for drawout NT / NS630b.. 1250 - 3 poles - 1250 A

Local distributor code:

383501116

33722

**EAN Code: 3303430337225**

## Main

|   |   |
|---|---|
| <b>Product or component type</b>          | Chassis   |
| <b>Accessory / separate part category</b> | Mounting accessory  |
| <b>Range compatibility</b>                | Masterpact MasterPact NT06<br>Masterpact MasterPact NT08<br>Masterpact MasterPact NT10<br>Masterpact MasterPact NT12<br>ComPact ComPact NS630b...1600   |
| <b>Circuit breaker name</b>               | Compact NS630bNA<br>Compact NS630bN<br>Compact NS630bH<br>Compact NS800NA<br>Compact NS800N<br>Compact NS800H<br>Compact NS1000NA<br>Compact NS1000N<br>Compact NS1000H<br>Compact NS1250NA<br>Compact NS1250N<br>Compact NS1250H<br>MasterPact NT06HA<br>MasterPact NT06H1<br>MasterPact NT06H2<br>MasterPact NT08HA<br>MasterPact NT08H1<br>MasterPact NT08H2<br>MasterPact NT10HA<br>MasterPact NT10H1<br>MasterPact NT10H2<br>MasterPact NT12HA<br>MasterPact NT12H1<br>MasterPact NT12H2 |
| <b>Poles description</b>                  | 3P  |
| <b>performance level</b>                  | H2<br>NA<br>H<br>H1<br>N<br>HA  |

## Complementary

|                           |         |
|---------------------------|---------|
| <b>Mounting mode</b>      | Drawout |
| <b>[In] rated current</b> | 1250 A  |

## Packing Units

|                                     |           |
|-------------------------------------|-----------|
| <b>Unit Type of Package 1</b>       | PCE       |
| <b>Number of Units in Package 1</b> | 1         |
| <b>Package 1 Height</b>             | 53.000 cm |

|                              |            |
|------------------------------|------------|
| Package 1 Width              | 40.000 cm  |
| Package 1 Length             | 40.000 cm  |
| Package 1 Weight             | 17.605 kg  |
| Unit Type of Package 2       | P12        |
| Number of Units in Package 2 | 6          |
| Package 2 Height             | 90.000 cm  |
| Package 2 Width              | 80.000 cm  |
| Package 2 Length             | 120.000 cm |
| Package 2 Weight             | 117.630 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint **961**

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards**

[EU RoHS Directive](#) **Compliant with Exemptions**

SCIP Number **0d2b79c1-bad6-48e6-81e2-781421341d7d**

REACH Regulation [REACH Declaration](#)

Halogen-free status **Product contains halogen above thresholds**

Silicone-free **No**

## Use Again

### Repack and remanufacture

Recyclability potential, in % **70**

End of life manual availability [End of Life Information](#)

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**