

Product datasheet

Specifications



TeSys GV2 - Enclosure for TeSys GV2ME - IP55 for temperature $\leq 5^{\circ}\text{C}$

GV2MC03

EAN Code: 3389110213669

Main

Range	TeSys
Product or component type	Enclosure
Device short name	GV2MC
Accessory / separate part category	Mounting accessory
Product compatibility	GV2ME
enclosure type	Surface mounting

Complementary

Auxiliary mounting location	Right Left
Height	147 mm
Width	93 mm
Depth	84 mm
Net weight	0.3 kg

Environment

IP degree of protection	IP55 5 °C
Environmental characteristic	Standard environment
Product certifications	UKCA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.4 cm
Package 1 Width	9.8 cm
Package 1 Length	15.5 cm
Package 1 Weight	293.0 g
Unit Type of Package 2	S04
Number of Units in Package 2	27
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm

Package 2 Weight 8.669 kg

Logistical informations

Country of origin CZ

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint **107**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **Yes**

[EU RoHS Directive](#) **Compliant**

SCIP Number **04104e70-ba29-493c-b2cc-b5837d1f879b**

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Technical Illustration

Assembly's dimensions

mm
[in]

