

Product datasheet

Specifications



cable suspension system, Canalis
KBA, universal fixing bracket with
steel cable, galvanized version

KBA40ZFSL

EAN Code: 3606480320958

Main

Range of product	Canalis
Product or component type	Bracket
Product compatibility	KBA
Fixing device mounting	Suspended on threaded rod
Maximum load	60 kg
Colour	White (RAL 9003)
Quantity per set	Set of 10

Complementary

Accessory / separate part category	Fixing accessory
Net weight	35 g

Environment

Standards	IEC 61439-6
-----------	-------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	4.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	35.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6.000 cm
Package 2 Width	12.000 cm
Package 2 Length	16.000 cm
Package 2 Weight	372.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	20.000 cm
Package 3 Width	20.000 cm

Package 3 Length	40.000 cm
------------------	-----------

Package 3 Weight	4.128 kg
------------------	----------

Contractual warranty

Warranty	18 months
----------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free product
PVC free	Yes
Silicone-free	Yes

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins