

Product datasheet

Specifications



universal fixing bracket, Canalis
KBA, 25 A and 40 A, suspended on
threaded rod or lateral, galvanized
version

KBA40ZFU

EAN Code: 3606480000621

Main

Range of product	Canalis
Product or component type	Bracket
Product compatibility	KBA
Fixing device mounting	Suspended on threaded rod
Maximum load	60 kg

Complementary

Accessory / separate part category	Fixing accessory
------------------------------------	------------------

Environment

Standards	IEC 61439-6
-----------	-------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	3.800 cm
Package 1 Length	7.000 cm
Package 1 Weight	33.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	4.000 cm
Package 2 Width	14.500 cm
Package 2 Length	11.000 cm
Package 2 Weight	340.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	200
Package 3 Height	18.000 cm
Package 3 Width	24.500 cm
Package 3 Length	38.000 cm
Package 3 Weight	7.310 kg

Logistical informations

Country of origin CN

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

REACH Regulation **[REACH Declaration](#)**

Halogen-free status **Halogen free product**

PVC free **Yes**


Silicone-free **Yes**

Use Again

Repack and remanufacture

End of life manual availability **No need of specific recycling operations**

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Technical Illustration

Assembly's dimensions

