

Product datasheet

Specifications



universal fixing bracket, Canalis
KBA, 25 A and 40 A, suspended on
threaded rod or lateral, white version

KBA40ZFUW

⚠ Discontinued on: 1 Aug 2022

⚠ Discontinued

EAN Code: 3606480000652

Main

Range of product	Canalis
Product or component type	Bracket
Product compatibility	KBA
Fixing device mounting	Suspended on threaded rod
Maximum load	60 kg

Complementary

Accessory / separate part category	Fixing accessory
------------------------------------	------------------

Environment

Standards	IEC 61439-6 IEC 60439-2
-----------	----------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	7.0 cm
Package 1 Length	4.0 cm
Package 1 Weight	35.0 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	4.0 cm
Package 2 Width	11.0 cm
Package 2 Length	14.0 cm
Package 2 Weight	850.0 g
Unit Type of Package 3	P06
Number of Units in Package 3	3200
Package 3 Height	77.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm

Package 3 Weight 122.052 kg

Contractual warranty

Warranty 18 months


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
EU RoHS Directive	Compliant
Halogen-free status	Halogen free product
PVC free	Yes
Silicone-free	Yes

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimension Drawings

