

# Product datasheet

Specifications

## CANALIS JUNCTION KBB WHITE



KBB40ZJ4W

EAN Code: 3606480499234

### Main

Range of product	Canalis
Product or component type	Feed unit jointing
Product compatibility	KBB
[Ie] rated operational current	40 A 25 A
Colour	White (RAL 9003)

### Complementary

Device application	Power socket distribution Lighting
[Ue] rated operational voltage	230...400 V
Control type	Without
Number of circuits	1
Net weight	640 g

### Environment

IK degree of protection	IK08 conforming to IEC 62262
IP degree of protection	IP55 conforming to IEC 60529
Standards	IEC 60439-2 IEC 61439-6

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.800 cm
Package 1 Width	5.000 cm
Package 1 Length	20.100 cm
Package 1 Weight	522.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

---

Package 2 Weight	6.544 kg
Unit Type of Package 3	S06
Number of Units in Package 3	12
Package 3 Height	29.500 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	14.704 kg

---

## Logistical informations

---

Country of origin FR

## Contractual warranty

---

Warranty 18 months



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **Yes**

[EU RoHS Directive](#) **Compliant with Exemptions**

REACH Regulation **[REACH Declaration](#)**

Halogen-free status **Halogen free product**

PVC free **Yes**

Silicone-free **Yes**

## Use Again

### Repack and remanufacture

End of life manual availability **No need of specific recycling operations**

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**