

Product datasheet

Specifications



SPARE PART

Local distributor code:

2226264

KNA63ZJ4

EAN Code: 3606485013152

Main

Range of product	Canalis
Product name	KN
Product or component type	Electrical and mechanical jointing
Product compatibility	KN
[Ie] rated operational current	40 A 63 A
Offer type	Spare part
Colour	White (RAL 9001)

Complementary

Device application	Low power distribution
[Ue] rated operational voltage	230...500 V
Control type	Without
Number of circuits	1
Width	200 mm
Depth	38 mm
Height	100 mm
Net weight	600 g

Environment

IK degree of protection	IK08 conforming to IEC 62262
IP degree of protection	IP55 conforming to IEC 60529
Standards	IEC 61439-6 IEC 60439-2

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	10.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	465.900 g
Unit Type of Package 2	BB1

Number of Units in Package 2	15
Package 2 Height	15.100 cm
Package 2 Width	30.100 cm
Package 2 Length	40.100 cm
Package 2 Weight	7.313 kg
Unit Type of Package 3	P06
Number of Units in Package 3	60
Package 3 Height	29.400 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	35.650 kg

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins